

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

1/2" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
1.5	120	50	TD50015A-14S	TD50015A-26S	TD50015A-38S
1.5	120	200	TD50015B-14S	TD50015B-26S	TD50015B-38S
1.5	240	200	TD50015A-14S	TD50015A-26S	TD50015A-38S
2	120	75	TD50020A-14S	TD50020A-26S	TD50020A-38S
2	120	100	TD50020B-14S	TD50020B-26S	TD50020A-38S
2	240	200	TD50020C-14S	TD50020C-26S	TD50020C-38S
2	240	300	TD50020A-14S	TD50020A-26S	TD50020A-38S
2	240	400	TD50020B-14S	TD50020B-26S	TD50020B-38S
2.5	120	75	TD50025A-14S	TD50025A-26S	TD50025A-38S
2.5	120	100	TD50025B-14S	TD50025B-26S	TD50025B-38S
2.5	120	125	TD50025C-14S	TD50025C-26S	TD50025C-38S
2.5	240	300	TD50025A-14S	TD50025A-26S	TD50025A-38S
2.5	240	400	TD50025B-14S	TD50025B-26S	TD50025B-38S
2.5	240	500	TD50025C-14S	TD50025C-26S	TD50025C-38S
3	120	100	TD50030F-14S	TD50030F-26S	TD50030F-38S
3	120	125	TD50030G-14S	TD50030G-26S	TD50030G-38S
3	240	125	TD50030A-14S	TD50030A-26S	TD50030A-38S
3	120	250	TD50030B-14S	TD50030B-26S	TD50030B-38S
3	240	250	TD50030C-14S	TD50030C-26S	TD50030C-38S
3	120	300	TD50030H-14S	TD50030H-26S	TD50030H-38S
3	240	300	TD50030D-14S	TD50030D-26S	TD50030D-38S
3	120	400	TD50030E-14S	TD50030E-26S	TD50030E-38S
3	240	400	TD50030F-14S	TD50030F-26S	TD50030F-38S
3	120	500	TD50030J-14S	TD50030J-26S	TD50030J-38S
3	240	500	TD50030A-14S	TD50030A-26S	TD50030A-38S
3.5	120	125	TD50035A-14S	TD50035A-26S	TD50035A-38S
3.5	240	250	TD50035B-14S	TD50035B-26S	TD50035B-38S
3.5	240	400	TD50035C-14S	TD50035C-26S	TD50035C-38S
3.5	240	500	TD50035A-14S	TD50035A-26S	TD50035A-38S
3.5	240	750	TD50035D-14S	TD50035D-26S	TD50035D-38S
4	240	125	TD50040A-14S	TD50040A-26S	TD50040A-38S
4	120	150	TD50040M-14S	TD50040M-26S	TD50040M-38S
4	120	200	TD50040J-14S	TD50040J-26S	TD50040J-38S
4	120	250	TD50040K-14S	TD50040K-26S	TD50040K-38S
4	240	250	TD50040B-14S	TD50040B-26S	TD50040B-38S
4	120	300	TD50040C-14S	TD50040C-26S	TD50040C-38S
4	240	300	TD50040D-14S	TD50040D-26S	TD50040D-38S
4	120	400	TD50040E-14S	TD50040E-26S	TD50040E-38S
4	240	400	TD50040F-14S	TD50040F-26S	TD50040F-38S
4	120	500	TD50040L-14S	TD50040L-26S	TD50040L-38S
4	240	500	TD50040G-14S	TD50040G-26S	TD50040G-38S
4	240	600	TD50040M-14S	TD50040M-26S	TD50040M-38S
4	240	750	TD50040H-14S	TD50040H-26S	TD50040H-38S
4	240	800	TD50040J-14S	TD50040J-26S	TD50040J-38S

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

1/2" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
4	240	1000	TD50040K-14S	TD50040K-26S	TD50040K-38S
4.5	120	125	TD50045C-14S	TD50045C-26S	TD50045C-38S
4.5	120	175	TD50045B-14S	TD50045B-26S	TD50045B-38S
4.5	240	250	TD50045A-14S	TD50045A-26S	TD50045A-38S
4.5	240	500	TD50045C-14S	TD50045C-26S	TD50045C-38S
4.5	240	750	TD50045B-14S	TD50045B-26S	TD50045B-38S
5	120	200	TD50050A-14S	TD50050A-26S	TD50050A-38S
5	120	250	TD50050B-14S	TD50050B-26S	TD50050B-38S
5	240	250	TD50050F-14S	TD50050F-26S	TD50050F-38S
5	240	300	TD50050C-14S	TD50050C-26S	TD50050C-38S
5	120	500	TD50050D-14S	TD50050D-26S	TD50050D-38S
5	240	500	TD50050E-14S	TD50050E-26S	TD50050E-38S
5	240	800	TD50050A-14S	TD50050A-26S	TD50050A-38S
5	240	1000	TD50050B-14S	TD50050B-26S	TD50050B-38S
5.5	240	500	TD50055B-14S	TD50055B-26S	TD50055B-38S
5.5	240	750	TD50055A-14S	TD50055A-26S	TD50055A-38S
6	120	250	TD50060D-14S	TD50060D-26S	TD50060D-38S
6	240	250	TD50060E-14S	TD50060E-26S	TD50060E-38S
6	120	300	TD50060G-14S	TD50060G-26S	TD50060G-38S
6	240	300	TD50060H-14S	TD50060H-26S	TD50060H-38S
6	120	375	TD50060A-14S	TD50060A-26S	TD50060A-38S
6	240	400	TD50060J-14S	TD50060J-26S	TD50060J-38S
6	120	500	TD50060K-14S	TD50060K-26S	TD50060K-38S
6	240	500	TD50060B-14S	TD50060B-26S	TD50060B-38S
6	240	750	TD50060C-14S	TD50060C-26S	TD50060C-38S
6	120	1000	TD50060F-14S	TD50060F-26S	TD50060F-38S
6	240	1000	TD50060D-14S	TD50060D-26S	TD50060D-38S
6	240	1200	TD50060G-14S	TD50060G-26S	TD50060G-38S
6	240	1500	TD50060A-14S	TD50060A-26S	TD50060A-38S
6.5	120	250	TD50065A-14S	TD50065A-26S	TD50065A-38S
6.5	240	500	TD50065B-14S	TD50065B-26S	TD50065B-38S
6.5	240	1000	TD50065A-14S	TD50065A-26S	TD50065A-38S
7	120	250	TD50070A-14S	TD50070A-26S	TD50070A-38S
7	240	300	TD50070D-14S	TD50070D-26S	TD50070D-38S
7	120	500	TD50070E-14S	TD50070E-26S	TD50070E-38S
7	240	500	TD50070F-14S	TD50070F-26S	TD50070F-38S
7	120	600	TD50070B-14S	TD50070B-26S	TD50070B-38S
7	240	600	TD50070C-14S	TD50070C-26S	TD50070C-38S
7	240	750	TD50070G-14S	TD50070G-26S	TD50070G-38S
7	240	1000	TD50070A-14S	TD50070A-26S	TD50070A-38S
7.5	240	1000	TD50075A-14S	TD50075A-26S	TD50075A-38S
8	120	250	TD50080G-14S	TD50080G-26S	TD50080G-38S
8	240	250	TD50080K-14S	TD50080K-26S	TD50080K-38S
8	120	300	TD50080H-14S	TD50080H-26S	TD50080H-38S

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

1/2" diameter cartridge heaters with swaged in high temperature leads available TODAY
High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
8	120	375	TD50080A-14S	TD50080A-26S	TD50080A-38S
8	240	400	TD50080B-14S	TD50080B-26S	TD50080B-38S
8	120	500	TD50080J-14S	TD50080J-26S	TD50080J-38S
8	240	500	TD50080C-14S	TD50080C-26S	TD50080C-38S
8	120	750	TD50080D-14S	TD50080D-26S	TD50080D-38S
8	240	750	TD50080E-14S	TD50080E-26S	TD50080E-38S
8	120	1000	TD50080F-14S	TD50080F-26S	TD50080F-38S
8	240	1000	TD50080G-14S	TD50080G-26S	TD50080G-38S
8	480	1000	TD50080K-14S	TD50080K-26S	TD50080K-38S
8	240	1200	TD50080H-14S	TD50080H-26S	TD50080H-38S
8	240	1500	TD50080A-14S	TD50080A-26S	TD50080A-38S
8	240	2000	TD50080J-14S	TD50080J-26S	TD50080J-38S
8.5	240	500	TD50085A-14S	TD50085A-26S	TD50085A-38S
8.5	240	1000	TD50085B-14S	TD50085B-26S	TD50085B-38S
9	240	500	TD50090A-14S	TD50090A-26S	TD50090A-38S
9	240	1000	TD50090B-14S	TD50090B-26S	TD50090B-38S
9.5	240	1000	TD50095A-14S	TD50095A-26S	TD50095A-38S
10	120	500	TD50100A-14S	TD50100A-26S	TD50100A-38S
10	240	500	TD50100B-14S	TD50100B-26S	TD50100B-38S
10	240	600	TD50100F-14S	TD50100F-26S	TD50100F-38S
10	120	1000	TD50100C-14S	TD50100C-26S	TD50100C-38S
10	240	1000	TD50100D-14S	TD50100D-26S	TD50100D-38S
10	480	1000	TD50100G-14S	TD50100G-26S	TD50100G-38S
10	240	1500	TD50100E-14S	TD50100E-26S	TD50100E-38S
10	240	2000	TD50100A-14S	TD50100A-26S	TD50100A-38S
10	480	2000	TD50100H-14S	TD50100H-26S	TD50100H-38S
11	240	1000	TD50110A-14S	TD50110A-26S	TD50110A-38S
11	240	1600	TD50110B-14S	TD50110B-26S	TD50110B-38S
12	120	500	TD50120A-14S	TD50120A-26S	TD50120A-38S
12	240	500	TD50120E-14S	TD50120E-26S	TD50120E-38S
12	120	600	TD50120F-14S	TD50120F-26S	TD50120F-38S
12	240	600	TD50120B-14S	TD50120B-26S	TD50120B-38S
12	240	800	TD50120G-14S	TD50120G-26S	TD50120G-38S
12	120	1000	TD50120H-14S	TD50120H-26S	TD50120H-38S
12	240	1000	TD50120C-14S	TD50120C-26S	TD50120C-38S
12	480	1200	TD50120J-14S	TD50120J-26S	TD50120J-38S
12	240	1500	TD50120D-14S	TD50120D-26S	TD50120D-38S
12	240	2000	TD50120A-14S	TD50120A-26S	TD50120A-38S
12	240	2400	TD50120F-14S	TD50120F-26S	TD50120F-38S
12.5	240	1000	TD50125A-14S	TD50125A-26S	TD50125A-38S
13	240	1000	TD50130A-14S	TD50130A-26S	TD50130A-38S
14	120	1000	TD50140A-14S	TD50140A-26S	TD50140A-38S
14	240	1000	TD50140B-14S	TD50140B-26S	TD50140B-38S
14	240	2300	TD50140C-14S	TD50140C-26S	TD50140C-38S

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

1/2" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
15	240	1000	TD50150A-14S	TD50150A-26S	TD50150A-38S
15	240	1500	TD50150B-14S	TD50150B-26S	TD50150B-38S
15	240	2000	TD50150C-14S	TD50150C-26S	TD50150C-38S
16	120	800	TD50160A-14S	TD50160A-26S	TD50160A-38S
16	240	800	TD50160B-14S	TD50160B-26S	TD50160B-38S
16	240	1000	TD50160C-14S	TD50160C-26S	TD50160C-38S
16	240	1500	TD50160D-14S	TD50160D-26S	TD50160D-38S
16	240	2000	TD50160E-14S	TD50160E-26S	TD50160E-38S
18	240	1000	TD50180A-14S	TD50180A-26S	TD50180A-38S
18	240	1500	TD50180C-14S	TD50180C-26S	TD50180C-38S
18	480	1500	TD50180B-14S	TD50180B-26S	TD50180B-38S
20	240	1000	TD50200A-14S	TD50200A-26S	TD50200A-38S
20	240	1500	TD50200B-14S	TD50200B-26S	TD50200B-38S
24	240	1000	TD50240A-14S	TD50240A-26S	TD50240A-38S
24	240	2000	TD50240B-14S	TD50240B-26S	TD50240B-38S